



# ALUMINUM CARGO TRAILERS

*6 MODELS TO CHOOSE FROM!*



## ***Value, Variety, and Versatility!***

With 6 models to choose from, Middlebury Trailers has a tremendous selection of aluminum general cargo trailers for you to choose from. Models range in size from 5' wide to 8.5' wide, and lengths from 8' to 24'. You're sure to find a size that fits your needs.

Once you've found the right size, our super-sized selection of options guarantees a customized trailer that will cover the tasks you need done. From hauling motorcycles, to yard equipment, to construction equipment, or even a concession trailer, our Options Department can customize your trailer to meet your needs.

Check out the models and options inside, and then talk to your dealer to see what we can do for you!

**3 YEAR  
LIMITED  
WARRANTY**

Every trailer is backed by our 3 year Limited Warranty. Please see your dealer for details!



# FLAT TOP MODELS

## AMSFTW-EL

Spring Axles

Entry Level



GOOD

## AMTFTW-EL

Torsion Axles

Entry Level



BETTER

## AMT-FTW

Torsion Axles



BEST



# ROUND TOP MODELS

## ARMT-EL

Spring Axles  
Entry Level



Good

## AMTT-EL

Torsion Axles  
Entry Level



BETTER

## AMTT

Torsion Axles




BEST





# CUSTOMIZE YOUR TRAILER!

## WHEEL CHOCKS



Floor mounted wheel chocks are a great way to safely secure your motorcycle or dirt bike.

## STABILIZER JACKS




Our Medium Duty Stabilizer Jack keeps your trailer level and steady during loading, unloading, and while you're working in your trailer.

## EXTERIOR FLOOD LIGHTS



Energy Efficient LED Flood Light shown. 500 watt quartz lights are also available.

## E-TRACK WITH CLIPS



With floor or wall mounted E-track system, you can haul just about anything!

## HEAVY DUTY D-RINGS



Secure your cargo with a set of our Heavy Duty D-rings. They are recessed in the floor and have a 5,000 pound rating.

## ALUMINUM WHEELS



Mod Style Rim

Series 14 Rim

Choose from the classic "Mod" style or the sleek and modern aluminum Series 14 wheels to add the finishing touch to your trailer.

## ROOF VENTS



Top of the Line  
12-Volt "Fan-tastic" Vent



Other roof vents are available in 12-volt, 110-volt, and unpowered configurations.

## SIDEWALL VENTS

Flow-Thru  
Sidewall  
Vents



Salem  
Sidewall  
Vents




Our Plastic Flow-Thru Sidewall Vents help keep your trailer from becoming an oven. The Salem vents provide maximum ventilation for more demanding situations.

## Standard Colors


## Metallic Colors

Polar White  
Dove Gray  
Victory Red  
Brandywine  
Cargo Green  
Black



Champagne  
Beige  
Light  
Pewter  
Silver  
Mist  
Medium  
Charcoal  
Indigo  
Blue

## Extra Cost Colors



## WINDOWS

### Popular Window Sizes

30" Wide X 15" Tall, Horizontal Slider Window  
15" Wide X 30" Tall, Vertical Slider Window  
30" Wide X 30" Tall Egress Window  
30" Wide X 30" Tall Slider Window



STANDARDS AND SPECIFICATIONS						
ALUMINUM GENERAL CARGO	AMSFTW-EL	AMTFTW-EL	AMT-FTW	AMST-EL	AMTT-EL	AMTT
	Flat Top Entry Level Spring Axle	Flat Top Entry Level Torsion Axle	Flat Top Standard Torsion Axle	Round Top Entry Level Spring Axle	Round Top Entry Level Torsion Axle	Round Top Standard Torsion Axle
<b>Hitch</b>						
2" Coupler on Single Axles	•	•	•	•	•	•
2-5/16" Coupler on Tandem Axles	•	•	•	•	•	•
Safety Chains	•	•	•	•	•	•
Winding Jack with Sand Pad	•	•	•	•	•	•
3rd Member Tongue on Tandem 5,200 lb. axles						•
<b>Tires, and Rims</b>						
ST205/75D15 Bias Ply Tires	•			•		
ST205/75R15 C Rated Radial Tires		•	•		•	•
ST225/75R15 D Rated Radial Tires						On 5,200 lb axles
White Wheels	•	•	•	•	•	•
<b>Frame</b>						
2"x3" Tube Frame	5' & 6' Wides	5' & 6' Wides	5' & 6' Wides	5' & 6' Wides	5' & 6' Wides	5' & 6' Wides
2"x4" Tube Frame	6' Wide Tandems & 7' Wides	6' Wide Tandems & 7' Wides	6' Wide Tandems & 7' Wides	6' Wide Tandems & 7' Wides	6' Wide Tandems & 7' Wides	6' Wide Tandems & 7' Wides
2"x5" Tube Frame			8.5' Wides			8.5' Wides
16" On-Center Floor	TA3 Axles & Up	TA3 Axles & Up	TA3 Axles & Up	TA3 Axles & Up	TA3 Axles & Up	TA3 Axles & Up
24" On-Center Floor	•	•	•	•	•	•
16" On-Center Walls	7' Wides	7' Wides	•	7' Wides	7' Wides	•
24" On-Center Walls	5' & 6' Wides	5' & 6' Wides		5' & 6' Wides	•	
Roof Spacing On-Center	24"	24"	16"	24"	24"	16"
Wedge Nose	18"	18"	Varies 24"-30" *			
(1) Pair Rear Stabilizer Jacks			•			•
<b>Doors</b>						
No Side Door on 5' Wides				•	•	•
Single Rear Door on 5' Wide Models	•	•		•	•	•
Double Rear Doors	6' & 7' Wides	6' & 7' Wides	•	6' & 7' Wides	6' & 7' Wides	6', 7', & 8.5'
24" Curbside Door w/Barlock on 5' Wides	•	•				
32" Curbside Door w/Barlock on 6' & 7' Wides	•	•		•	•	•**
32" Curbside Door with RV lock			•			
36" Curbside Door on 8.5' Wides						•
<b>Interior</b>						
3/4" Engineered Wood Flooring	•	•	•	•	•	•
5.2mm White Interior Walls			•			
3/8" Plywood Walls	•	•		•	•	•
1" Wheelbox on 7' Wide w/5,200 lb. Axles						•
<b>Exterior</b>						
.030 Exterior Metal	•	•	•	•	•	•
(1) Piece Aluminum Roof	•	•	•	•	•	•
ATP Stoneguard	•	•	•	•	•	•
3" Lower Trim	•	•	•	•	•	•
3" Upper Trim			•			
Bright Wedge Nose and Rear Hoop			•			
Fiberglass Cap				•	•	•
Bright Front Corners						•
<b>Electrical</b>						
4-Way Plug on Idler Axles	•	•	•	•	•	•
7-Way Plug on Brake Axles	•	•	•	•	•	•
Breakaway Box, Battery, and Switch for Brake Axles	•	•	•	•	•	•
12-Volt Dome Light	1	1	2	1	1	2
LED Strip Tail/Brake Lights, Surface Mounted	•	•	•	•	•	•
LED Clearance Lights, Surface Mounted	•	•	•	•	•	•

\* 5'/6' Wides = 24", 7' Wides = 30", 8.5' Wides = 42"

\*\* On shorter trailers with tandem axles, a smaller door may be necessary

Size And Axle Combination						
ALUMINUM GENERAL CARGO	AMSFTW-EL	AMTFTW-EL	AMT-FTW	AMST-EL	AMTT-EL	AMTT
	Flat Top Entry Level Spring Axle	Flat Top Entry Level Torsion Axle	Flat Top Standard Torsion Axle	Round Top Entry Level Spring Axle	Round Top Entry Level Torsion Axle	Round Top Standard Torsion Axle
<b>5' Wide SA</b> (2,990 GVWR)						
5 x 8' SA	.	.	.	.	.	.
5 x 10' SA	.	.	.	.	.	.
<b>6' Wide SA</b> (2,990 GVWR)						
6' x 10' SA	.	.	.	.	.	.
6' x 12' SA	.	.	.	.	.	.
6' x 14' SA	.	.	.	.	.	.
<b>6' Wide TA2</b> (7,000 lb. GVWR)						
6' x 12' TA2	.	.	.	.	.	.
6' x 14' TA2	.	.	.	.	.	.
<b>7' Wide SAE</b> (3,500 lb. GVWR)						
7' x 10' SAE	.	.	.	.	.	.
7' x 12' SAE	.	.	.	.	.	.
<b>7' Wide TA2</b> (7,000 lb. GVWR)						
7' x 12' TA2	.	.	.	.	.	.
7' x 14' TA2	.	.	.	.	.	.
7' x 16' TA2	.	.	.	.	.	.
7' x 18' TA2	.	.	.	.	.	.
7' x 20' TA2	.	.	.	.	.	.
<b>8.5' Wide</b> (7,000 lb. GVWR)						
8.5' x 12' TA2						.
8.5' x 14' TA2			.			.
8.5' x 16' TA2			.			.
8.5' x 18' TA2			.			.
8.5' x 20' TA2			.			.
8.5' x 22' TA2						.
8.5' x 24' TA2						.

Dimensions*																				
Item	AMSFTW-EL			AMTFTW-EL			AMT-FTW				AMST-EL			AMTT-EL			AMTT			
	Flat Top			Flat Top			Flat Top				Round Top			Round Top			Round Top			
	5'	6'	7'	5'	6'	7'	5'	6'	7'	8.5'	5'	6'	7'	5'	6'	7'	5'	6'	7'	8.5'
Side Door	24"	32"	32"	24"	32"	32"	32"	32"	32"	32"	n/a	32"	32"	n/a	32"	32"	n/a	32"	32"	36"
Hitch Height	18"			18"			18"				18"			18"			18"			
Interior Height	66"	72"	72"	66"	72"	72"	66"	72"	72"	78"	60"	72"	72"	60"	72"	72"	66"	72"	72"	78"
Interior Width	57"	69"	81"	57"	69"	81"	57"	69"	81"	97"	57"	69"	81"	57"	69"	81"	57"	69"	81"	97"
Exterior Height	91"	91"	92"	91"	91"	92"	91"	91"	92"	99"	93"	93"	94"	93"	93"	94"	93"	93"	94"	101"
Rear Door Opening Height	67"	67"	67"	67"	67"	67"	67"	67"	67"	76"	67"	67"	67"	67"	67"	67"	67"	67"	67"	76"
Rear Door Opening Width	51"	63"	75"	51"	63"	75"	51"	63"	75"	91"	51"	63"	75"	51"	63"	75"	51"	63"	75"	91"

\* All dimensions are approximate.

\*\* 24" Door on 5'x8' Model

Add plywood cabinets with a metal countertop and a 110-volt panel box to increase the usability of your trailer!

You'll be glad you did!



Middlebury Trailers is a proud member of the National Association of Trailer Manufacturers



Your Professional MTI Dealer is:

Toll Free: (866) 314-2465

51790 County Road 39 • Middlebury, IN 46540

www.MiddleburyTrailers.com

**Note:** Specifications subject to change without notice. Please verify current specifications with your dealer. Thank you!