

SNOWMOBILE TRAILERS



- Two-Tone Metal Treatment
- Series 14 Aluminum Rims
- Fun is standard, but the snowmobile is optional!

AMTEL Snow FTEntry Level Snowmobile Trailer

AMTEL Snow FT - Aluminum Frame, Flat Top, Entry Level









Toll Free: (866) 314-2465

AMT Snow RT - 7' Wide, Aluminum Frame, Round Top







Toll Free: (866) 314-2465 51790 County Road 39 • Middlebury, IN 46540

www.MiddleburyTrailers.com

AMSVT-RT - 8.5' Wide, Aluminum Deck Over Frame, Round Top



AMSVT-FT - 8.5' Wide, Aluminum Deck Over Frame, Flat Top



51790 County Road 39 • Middlebury, IN 46540 Toll Free: (866) 314-2465 www.MiddleburyTrailers.com

MSVT - 7' or 8.5' Wide, Steel Frame, Round Top





Toll Free: (866) 314-2465 51790 County Road 39 • Middlebury, IN 46540 www.MiddleburyTrailers.com



SNOWMOBILE TRAILERS

Snowmobile Trailer Model Guide										
Model	Description	FRAME	Roof Style	Widths						
ALUMINUM FRAME										
AMTEL Snow FT	Snowmobile Trailer, Entry Level	Aluminum	Flat Top	7'						
AMT Snow RT	Snowmobile Trailer	Aluminum	Round Top	7'						
AMT Snow FT	Snowmobile Trailer	Aluminum	Flat Top	7'						
AMSVT-RT	Snowmobile Trailer	Aluminum	Numinum Round Top							
AMSVT-FT	Snowmobile Trailer	Aluminum	luminum Flat Top							
STEEL FRAME										
MSVT	Snowmobile Trailer	Steel	Round Top	7', 8.5'						
MSVT-FT	Snowmobile Trailer	Steel	Flat Top							

^{* 8.5&#}x27; wide trailers are a "Deck Over" frame design so there are NO wheel wells inside of the trailer.

SIZE AND AXLE COMBINATIONS											
Model	AMTEL Snow FT		AMT Snow RT	AMT Snow FT	AMSVT-RT	AMSVT-FT	MSVT		MSVT-FT		
Axle	SINGLE 3,500 LB.	Tandem 3,500 lb.	Triple 3,500 lb.	Tandem 3,500 lb.	Triple 3,500 lb.						
7' x 17'	•	•	•	•	•	•					
7' x 19'		•	•	•	•	•	•		•		
7' x 21'		•	•	•	•	•	•		•		
7' x 23'		•	•	•	•	•	•		•		
7' x 25'		•	•	•	•	•	•		•		
7' x 27'		•	•	•	•	•	•		•		
7' x 29'		•	•	•			•		•		
8.5' x 17'							•		•		
8.5' x 19'							•		•		
8.5' x 21'							•		•		
8.5' x 23'							•		•		
8.5' x 25'							•		•		
8.5' x 27'							•		•		
8.5' x 29'								•		•	
8.5' x 31'								•		•	
8.5' x 33'								•		•	

Standard Colors

Metallic Colors

Extra Cost Colors Yellow

Orange









Member National Association of Trailer Manufacturers



See your dealer for details!

STANDARDS AND SPECIFICATIONS AMT Snow AMT Snow **AMTEL** AMSVT-RT AMSVT-FT **MSVT** MSVT-FT Snow FT **RT** Aluminum Frame Hitch Steel Frame 2-5/16" Coupler With Safety Chains Coupler Jack - 2,000 lbs. Swivel Jack - 1,200 lbs. 3rd Member Tongue Axles, Brakes, Tires, and Rims Spring 1, 2 Standard Axle Type Torsion Spring Torsion Torsion Torsion Torsion . . Electric Brakes ST205/75R15 "C" Rated Radial Tires w/White Rims 7' Wides 7' Wides ST205/75R14 "C" Rated Radial Tires w/White Rims 8.5' Wides 8.5' Wides Frame Frame Construction Aluminum Aluminum Aluminum Aluminum Aluminum Steel Steel 5' Wedge . 2" x 3" Aluminum Tube Frame SAE Models 2" x 4" Aluminum Tube Frame 2" x 5" Double Hollow Aluminum Tube Frame TA2 Models 2" x 6" Steel Tube 24" 3 24" 3 24" 3 24 24" 3 24" 24' Floor Spacing (on-center) Wall Spacing (on-center) 16' 16" 16" 16" 16" 16" Roof Spacing (on-center) 16" 24" 24" 16' 16" 16" 16" Weight Distribution Brackets . . . Beavertail 8.5' Wides Doors Front Ramp Door w/Recessed Camlock, Spring Assist Without Flap Rear Ramp Door w/Recessed Camlock, Spring Assist Without Flap Front Ramp Door, w/Barlock, Spring Assist Without Flap Without Flap Without Flap Without Flap With Flap With Flap Rear Ramp Door, w/Barlock, Spring Assist Without Flap With Flap With Flap Without Flap With Flap With Flap 32" Camlock Door, Curbside With Step w/Pull Out Step w/Pull Out Step 12" x 12" Access Doors Ski Guide Installed Ship loose Installed Ship Loose Ship Loose Ship Loose Ship Loose Interior 3/4" Engineered Wood Flooring Interior Wall Finish Open 5.2mm White 5.2mm White 5.2mm White Brown Lauan Open Open 16" Tall Wood 4 16" Tall Wood 4 12" Tall Wood 4 12" Tall Plywood Interior Wall Kickplate 12" Tall ATP 12" Tall ATP 12" Tall Plywood (9) Rope Ties (shipped loose) (8) Heavy Duty D-Rings White Vinyl Ceiling Interior Height 72" 72" 72" 72" 72" 72" 72" Exterior .030 Exterior Metal . 0 0 . 1 pc Aluminum | 1 pc Aluminum 1 pc Aluminum 1 pc Aluminum | 1 pc Aluminum Steel Steel 12" Tall ATP Stoneguard 24" Tall 12" Tall 24' 24" Tall 24" Tall 24" Tall 3" Lower Exterior Trim 3" Exterior Top Trim . . Bright Aluminum on Front Wedge ATP Bright Aluminum Rear Hoop Screwless Taped Sidewalls Fiberglass Cap .080 Roof Wrap (1) Roof Vent . Electrical LED Tail Lights, Brake Lights, and Marking Lights 7- Way Plug, Breakaway Box, Battery and Switch (1) 12-Volt Porch Light on Curbside Door 12-Volt Dome Lights 2 2 2 2

^{1 --} Torsion axles not available


^{2 -- 5,200} lb. axles not available



POPULAR OPTIONS

FURNACE

Laugh at the cold weather as your gas furnace keeps you nice and warm!



E-TRACK AND CLIPS

E-Track gives you maximum flexibility for the placement of your snowmobiles and any other gear that you may haul in the off season.

Steel E-Track shown. Aluminum E-Track is available for aluminum trailers.



Warm your boots up between runs with our custom made boot warmer! Note: Furnace option required!

HEAVY DUTY D-RINGS

Our Heavy Duty D-Rings are super strong with a 5,000 lb. rating.

The number of D-Rings and locations can be specified by you when you order your trailer.



OVERHEAD CABINETS



Great for helmets and other gear!

ROOF VENTS

Roof vents come
in powered and nonpowered versions. Shown
is the "Fantastic" 12-Volt fan
complete with rain
sensor, thermostat
and directional
flow control!



WICKED WHEELS





Aluminum Mod

Series 14

RECESSED SLIDE TRACK AND SKI BARS

Quickly secure
your snowmobile
with Recessed Slide
Track and Ski Bars!
Note: Recessed Track is
available only on
aluminumum
trailers.

Your Professional MTI Trailers Dealer is:

Toll Free: (866) 314-2465 51790 County Road 39 • Middlebury, IN 46540 www.MiddleburyTrailers.com